



ORGANISATIONAL AUDIT REPORT FOR:

Integrated Water Services Limited

Verification firm: Achilles Information Limited, Milton Park, 30 Western Ave, Milton, Abingdon

OX14 4SH.

Lead Auditor:Damian BurtonClient Contact:Mark AppletonReport date:11/11/2022

Peer Reviewed by: Glenn Cargill

AUDIT OBJECTIVES

To determine whether the organisation's GHG measurements (emissions data and calculations) and reduction(s) meet certification requirements for the Programme as detailed in the criteria and scope.

AUDIT CRITERIA AND SCOPE

The audit criteria and scope are detailed in the following table:

	ISO 14064 Part 1 2018, ISO 14064 Part 3 2019.	
	Technical Requirements 3.1 & Audit and Certification Technical requirements	
Criteria	-	
Officia	-	
	-	
	-	
GHG program	Carbon Reduce	
Audit date	10/11/2022	
Base year	01/04/2012 to 31/03/2015	
Reporting year	01/04/2021 to 31/03/2022	
Consolidation methodology	Operational control.	
Materiality threshold	shold 5%	
Emissions factor Toitū emanage -		
GHG statement (certification claim)	Integrated Water Services Limited meets the requirements of Carbon Reduce certification having measured its greenhouse gas emissions in accordance with ISO 14064 Part 1 2018 and is committed to managing and reducing its emissions in respect of its operational activities of its UK organisation.	
Registered Office Address	Green Lane, Walsall, WS2 7PD, UK.	
Audit type	Transition (certificate renewal to new standard).	

VERIFIED LOCATION BASED EMISSIONS TOTALS

Emissions summary by category:	All measured emissions	Mandatory boundary	Units
Category 1: Direct emissions and removals	386.91	386.91	tCO ₂ e
Category 2: Indirect emissions from imported energy	32.17	32.17	tCO ₂ e
Category 3: Indirect emissions from transportation	0.00	0.00	tCO ₂ e
Category 4: Indirect emissions from products used by organisation	2.87	2.87	tCO ₂ e
Category 5: Indirect emissions associated with the use of products from the organisation	0.00	0.00	tCO ₂ e
Category 6: Indirect GHG emissions from other sources	0.00	0.00	tCO2e
Total gross inventory	421.96	421.96	tCO ₂ e
Category 1 direct removals	0.00	0.00	tCO ₂ e
Exported renewable generation/fuel	0.00	0.00	tCO ₂ e
Purchased emission reductions	0.00	0.00	tCO ₂ e
Total net inventory	421.96	421.96	tCO ₂ e

VERIFIED MARKET BASED EMISSIONS TOTALS

Emissions summary by category:	All measured emissions	Mandatory boundary	Units
Category 1: Direct emissions and removals	N/A	N/A	tCO ₂ e
Category 2: Indirect emissions from imported energy	N/A	N/A	tCO ₂ e
Category 3: Indirect emissions from transportation	N/A	N/A	tCO ₂ e
Category 4: Indirect emissions from products used by organisation	N/A	N/A	tCO ₂ e
Category 5: Indirect emissions associated with the use of products from the organisation	N/A	N/A	tCO ₂ e
Category 6: Indirect GHG emissions from other sources	N/A	N/A	tCO2e
Total gross inventory	N/A	N/A	tCO₂e
Category 1 direct removals	N/A	N/A	tCO ₂ e
Exported renewable generation/fuel	N/A	N/A	tCO ₂ e
Purchased emission reductions	N/A	N/A	tCO ₂ e
Total net inventory	N/A	N/A	tCO₂e

LEVEL OF ASSURANCE PROVIDED

Based upon the verification undertaken, the following level of assurance is provided:

Limited

The above is based upon the following qualifications:

None

MANDATORY REDUCTION PERFORMANCE

The following reductions have been made in the programme mandatory emissions categories, relative to the base year(s), using the programme 5 year rolling average methodology.

Reduction performance			
Category 1 & 2 emissions only	% reduction	55.85	
Emissions intensity: category 1,2 & all other mandatory categories.	% reduction	27.71	

CONCLUSION AND RECOMMENDATION

Transition to ISO 14064 Part 1 2018 is recommended.

Ongoing Gold status certification is recommended.

Comments:

Verification procedures:

Verification evidence gathering procedures include:

An initial evaluation of organisational scope & boundaries, typically by interview and or desktop data review.

An initial evaluation of organisational scope & boundaries, typically by interview and or desktop data review.

A sample of site visits will typically be conducted, dependent on the industrial sector.

A comprehensive range of emission sources will be taken and typically checked for classification, completeness of data, scope & boundaries, time-periods, emission factors applied, consistency or changes to methodologies, estimations used & that adequate control procedures are in place. This will also include retrace back to source data and a full recalculation of GHG emissions.

Mandatory

Refers to the specific scope & boundary or requirements of the Carbon Reduce GHG program.

Notes:

The detailed audit findings and calculations given in the Verification Plan and Working Papers associated with this audit contain proprietary verification methodologies and remain confidential.

The audit is based upon sampling and as such nonconformities may exist that have not yet been identified.

We have reviewed the company's GHG emissions inventory for the period. The inventory is based on historical information which is stated in accordance with the requirements of ISO 14064 Part 1 and the scheme Technical Requirements.

The scope of the review was limited to personnel interview, analytical review procedures applied to GHG emissions data, and review of the input of data into the emissions inventory.

A **non-conformance (NCR)** indicates that the auditor has found a non-conformance with scheme Technical Requirements (audit criteria) and requires you to take the appropriate corrective action and provide evidence of this correction within 10 working days. This may require resubmission of an updated Emissions Inventory and Management report.

A **minor non-conformance (mNCR)** which the auditor has found which is not material to the outcome of the inventory, but to which a failure to address in the preparation of future inventories could lead to a major Non-Conformance (NCR).

Observations made by your auditor are strongly advised but the actions are not required for the organisation to be recommended for certification.

Neither Toitū Envirocare nor the auditor has any interest in the organisation, other than in our capacity as assurance providers. We have not carried out any work with this business prior to this review other than conducting the previous verification

Toitū carbon programmes boundary is defined as all Category 1 and 2 emissions, Category 3 emissions associated with business travel and freight paid for by the organisation, Category 4 emissions associated with waste disposed of by the organisation, and transmissions and distribution of electricity and natural gas

Any correspondence regarding this audit report should be directed to your Lead Auditor.

A copy of this report has been provided to the nominated client contact.

This report has been prepared solely for the use of the organisation and Toitū Envirocare as part of an application for Toitū carbonreduce programme certification. It may be relied on solely by the organisation and Toitū Envirocare for that purpose only. Toitū Envirocare does not accept or assume any responsibility to any person other than the organisation in relation to the statements or findings expressed or implied in this report.

Responsibilities:

The responsible party is responsible for the preparation and fair presentation of the GHG statement in accordance with the criteria. The verifier is responsible for expressing an opinion on the GHG statement based on the verification activities undertaken.

APPENDIX 1: AUDIT FINDINGS LOG

	Issued to:	Integrated Water Services Limited	
Lead Verifier: Damian Burton			
	Date Issued	14 November 2022	

Findings marked RFI (request for further information) must be replied to as soon as possible to allow the audit to progress.

Findings marked NCR must be corrected before audit can be closed out, unless otherwise approved by the Certification Manager.

Findings marked mNCR is not required to be corrected for this verification, but it must be addressed/checked for your next inventory, or it may become a NCR. You may voluntarily correct a mNCR for completeness.

Findings marked **Obs** are observations or recommendations from the verifier which may be helpful to you but do not need to be acted upon.

Corrective actions are expected to be closed out within 10 working days of the audit.

Ref #	Non-conformances & Requests for Further Information:	Status		Comments / Agreed Corrective Actions/Evidence sighted to close out the issue where corrective action required.		Ref. to audit criteria (for mNCRs & NCRs only)
GAC3	Please can you update the old CEMARS logo on your website please.	Closed	mNCR - previous audit	Please can you do this before the next audit.	10/11/2022	3.3 Programme certification marks
	Electricity and gas consumption at Walsall would benefit from a documented calculation methodology.	Open	Obsn		1	5.1 Calculation of GHG emissions & removals
	Bunkered fuel data would benefit from direct reporting as volumes of diesel drawn rather than as a back calculation from £spend.	Open	Obsn		1	5.1 Calculation of GHG emissions & removals



